



ふた用スペーサ

[テコ式]

(mm)


鉄筋径 横筋 (F ₁) — 縦筋 (F ₂)	カブリ		
	A	A ₁	A ₂
D6 — 4	13.18.23 (28)	28	30 (25)
D6 — 5	"	25	25 (30)
D6 — D6	"	25	25 (30)
D10 — D6	18. 23	23. 30	30
D10 — D10	"	"	"
D13 — D6	"	25. 30	"
D13 — D10	"	"	"
"	26. 30	30 (25)	30
D13 — D13	17. 20. 30	22	28
"	26. 30	30 (22)	30

() 内の寸法も製造可能です。御問い合わせ下さい。

呼び名
の見方

KS40-6-4-28-13
↑ ↑ ↑ ↑ ↑
T F₁ F₂ A₁ A

カブリ 13 mm



[6×4]
横筋 縦筋

(mm)

コードNo.	溝ふた			ス ペ ー サ 仕 様								
	厚さ T	横筋 φ	縦筋 φ	呼び名	カ ブ リ				F ₁	F ₂	全長 A+A ₃	1箱入数 (個)
				T - F ₁ - F ₂ - A ₁ - A	A	A ₁	A ₂	A ₃				
014400	40	D6	4	KS 40-6-4-28-13	13	28	30	25	6.5	4	38	
014401	45	D6	4	KS 45-6-4-28-13	13	28	30	30	6.5	4	43	
014402	50	D6	4	KS 50-6-4-28-13	13	28	30	35	6.5	4	48	5,600
014403	55	D6	4	KS 55-6-4-28-13	13	28	30	40	6.5	4	53	5,400
014404	60	D6	4	KS 60-6-4-28-13	13	28	30	45	6.5	4	58	
014405	65	D6	4	KS 65-6-4-28-13	13	28	30	50	6.5	4	63	4,500
014406	70	D6	4	KS 70-6-4-28-13	13	28	30	55	6.5	4	68	
014407	75	D6	4	KS 75-6-4-28-13	13	28	30	60	6.5	4	73	4,300
014408	80	D6	4	KS 80-6-4-28-13	13	28	30	65	6.5	4	78	3,900
014409	85	D6	4	KS 85-6-4-28-13	13	28	30	70	6.5	4	83	3,600
014410	90	D6	4	KS 90-6-4-28-13	13	28	30	75	6.5	4	88	3,500
014411	95	D6	4	KS 95-6-4-28-13	13	28	30	80	6.5	4	93	
014412	100	D6	4	KS100-6-4-28-13	13	28	30	85	6.5	4	98	
014413	105	D6	4	KS105-6-4-28-13	13	28	30	90	6.5	4	103	3,000
014414	110	D6	4	KS110-6-4-28-13	13	28	30	95	6.5	4	108	2,800
014415	115	D6	4	KS115-6-4-28-13	13	28	30	100	6.5	4	113	
014416	120	D6	4	KS120-6-4-28-13	13	28	30	105	6.5	4	118	
014417	125	D6	4	KS125-6-4-28-13	13	28	30	110	6.5	4	123	
014418	130	D6	4	KS130-6-4-28-13	13	28	30	115	6.5	4	128	
014419	135	D6	4	KS135-6-4-28-13	13	28	30	120	6.5	4	133	2,300

上記寸法以外に A 寸法は28mmの場合全長53～148が出来ます。

// A₂寸法は25mmも出来ます。

入数を変更する場合があります。

受注生産品がありますのでご確認の上御注文下さい。




ふた用スペーサ

[テコ式]

呼び名
の見方

KS45-6-4-28-18
↑ ↑ ↑ ↑ ↑
T F₁ F₂ A₁ A

カブリ 18 mm



[6×4]
横筋 縦筋

(mm)

コードNo.	溝ふた			ス ペ ー サ 仕 様								
	厚さ T	横筋 φ	縦筋 φ	呼び名	カ ブ リ				F ₁	F ₂	全長 A+A ₃	1箱入数 (個)
				T - F ₁ -F ₂ -A ₁ - A	A	A ₁	A ₂	A ₃				
014420	45	D6	4	KS 45-6-4-28-18	18	28	30	25	6.5	4	43	6,200
014421	50	D6	4	KS 50-6-4-28-18	18	28	30	30	6.5	4	48	5,900
014422	55	D6	4	KS 55-6-4-28-18	18	28	30	35	6.5	4	53	
014423	60	D6	4	KS 60-6-4-28-18	18	28	30	40	6.5	4	58	4,900
014424	65	D6	4	KS 65-6-4-28-18	18	28	30	45	6.5	4	63	
014425	70	D6	4	KS 70-6-4-28-18	18	28	30	50	6.5	4	68	4,600
014426	75	D6	4	KS 75-6-4-28-18	18	28	30	55	6.5	4	73	
014427	80	D6	4	KS 80-6-4-28-18	18	28	30	60	6.5	4	78	
014428	85	D6	4	KS 85-6-4-28-18	18	28	30	65	6.5	4	83	3,750
014429	90	D6	4	KS 90-6-4-28-18	18	28	30	70	6.5	4	88	3,500
014430	95	D6	4	KS 95-6-4-28-18	18	28	30	75	6.5	4	93	
014431	100	D6	4	KS100-6-4-28-18	18	28	30	80	6.5	4	98	3,200
014432	105	D6	4	KS105-6-4-28-18	18	28	30	85	6.5	4	103	
014433	110	D6	4	KS110-6-4-28-18	18	28	30	90	6.5	4	108	2,950
014434	115	D6	4	KS115-6-4-28-18	18	28	30	95	6.5	4	113	2,800
014435	120	D6	4	KS120-6-4-28-18	18	28	30	100	6.5	4	118	
014436	125	D6	4	KS125-6-4-28-18	18	28	30	105	6.5	4	123	
014437	130	D6	4	KS130-6-4-28-18	18	28	30	110	6.5	4	128	
014438	135	D6	4	KS135-6-4-28-18	18	28	30	115	6.5	4	133	
014439	140	D6	4	KS140-6-4-28-18	18	28	30	120	6.5	4	138	

カブリ 23 mm

[6×4]
横筋 縦筋 (mm)

コードNo.	溝ふた			ス ペ ー サ 仕 様								
	厚さ T	横筋 φ	縦筋 φ	呼び名	カ ブ リ				F ₁	F ₂	全長 A+A ₃	1箱入数 (個)
				T - F ₁ -F ₂ -A ₁ - A	A	A ₁	A ₂	A ₃				
014440	50	D6	4	KS 50-6-4-28-23	23	28	30	25	6.5	4	48	
014441	55	D6	4	KS 55-6-4-28-23	23	28	30	30	6.5	4	53	
014442	60	D6	4	KS 60-6-4-28-23	23	28	30	35	6.5	4	58	5,300
014443	65	D6	4	KS 65-6-4-28-23	23	28	30	40	6.5	4	63	
014444	70	D6	4	KS 70-6-4-28-23	23	28	30	45	6.5	4	68	4,500
014445	75	D6	4	KS 75-6-4-28-23	23	28	30	50	6.5	4	73	4,300
014446	80	D6	4	KS 80-6-4-28-23	23	28	30	55	6.5	4	78	4,200
014447	85	D6	4	KS 85-6-4-28-23	23	28	30	60	6.5	4	83	3,900
014448	90	D6	4	KS 90-6-4-28-23	23	28	30	65	6.5	4	88	3,600
014449	95	D6	4	KS 95-6-4-28-23	23	28	30	70	6.5	4	93	
014450	100	D6	4	KS100-6-4-28-23	23	28	30	75	6.5	4	98	
014451	105	D6	4	KS105-6-4-28-23	23	28	30	80	6.5	4	103	
014452	110	D6	4	KS110-6-4-28-23	23	28	30	85	6.5	4	108	
014453	115	D6	4	KS115-6-4-28-23	23	28	30	90	6.5	4	113	2,800
014454	120	D6	4	KS120-6-4-28-23	23	28	30	95	6.5	4	118	
014455	125	D6	4	KS125-6-4-28-23	23	28	30	100	6.5	4	123	
014456	130	D6	4	KS130-6-4-28-23	23	28	30	105	6.5	4	128	
014457	135	D6	4	KS135-6-4-28-23	23	28	30	110	6.5	4	133	
014458	140	D6	4	KS140-6-4-28-23	23	28	30	115	6.5	4	138	
014459	145	D6	4	KS145-6-4-28-23	23	28	30	120	6.5	4	143	2,000

上記寸法以外にA寸法は28mmの場合全長53~148が出来ます。
// A₂寸法は25mmも出来ます。

入数を変更する場合があります。
受注生産品が有りますのでご確認の上御注文下さい。



ふた用スペーサ


[テコ式]

呼び名
の見方

RS40-6-5-25-13

↑ T ↑ F₁ ↑ F₂ ↑ A₁ ↑ A

カブリ 13 mm



[6×5~4]

横筋 縦筋

(mm)

コードNo.	溝ふた			スペーサ仕様								
	厚さ T	横筋 φ	縦筋 φ	呼び名	カブリ				F ₁	F ₂	全長 A+A ₃	1箱入数 (個)
				T - F ₁ -F ₂ -A ₁ -A	A	A ₁	A ₂	A ₃				
014000	40	D6	5~4	RS 40-6-5-25-13	13	25	25	25	6.5	5	38	
014001	45	D6	5~4	RS 45-6-5-25-13	13	25	25	30	6.5	5	43	
014002	50	D6	5~4	RS 50-6-5-25-13	13	25	25	35	6.5	5	48	6,400
014003	55	D6	5~4	RS 55-6-5-25-13	13	25	25	40	6.5	5	53	6,100
014004	60	D6	5~4	RS 60-6-5-25-13	13	25	25	45	6.5	5	58	5,600
014005	65	D6	5~4	RS 65-6-5-25-13	13	25	25	50	6.5	5	63	
014006	70	D6	5~4	RS 70-6-5-25-13	13	25	25	55	6.5	5	68	
014007	75	D6	5~4	RS 75-6-5-25-13	13	25	25	60	6.5	5	73	4,800
014008	80	D6	5~4	RS 80-6-5-25-13	13	25	25	65	6.5	5	78	4,450
014009	85	D6	5~4	RS 85-6-5-25-13	13	25	25	70	6.5	5	83	4,200
014010	90	D6	5~4	RS 90-6-5-25-13	13	25	25	75	6.5	5	88	4,000
014011	95	D6	5~4	RS 95-6-5-25-13	13	25	25	80	6.5	5	93	3,750
014012	100	D6	5~4	RS100-6-5-25-13	13	25	25	85	6.5	5	98	3,500
014013	105	D6	5~4	RS105-6-5-25-13	13	25	25	90	6.5	5	103	3,400
014014	110	D6	5~4	RS110-6-5-25-13	13	25	25	95	6.5	5	108	
014015	115	D6	5~4	RS115-6-5-25-13	13	25	25	100	6.5	5	113	3,050
014016	120	D6	5~4	RS120-6-5-25-13	13	25	25	105	6.5	5	118	
014017	125	D6	5~4	RS125-6-5-25-13	13	25	25	110	6.5	5	123	
014018	130	D6	5~4	RS130-6-5-25-13	13	25	25	115	6.5	5	128	2,600
014019	135	D6	5~4	RS135-6-5-25-13	13	25	25	120	6.5	5	133	

カブリ 18 mm

[6×5~4]

横筋 縦筋

(mm)

コードNo.	溝ふた			スペーサ仕様								
	厚さ T	横筋 φ	縦筋 φ	呼び名	カブリ				F ₁	F ₂	全長 A+A ₃	1箱入数 (個)
				T - F ₁ -F ₂ -A ₁ -A	A	A ₁	A ₂	A ₃				
014020	45	D6	5~4	RS 45-6-5-25-18	18	25	25	25	6.5	5	43	6,200
014021	50	D6	5~4	RS 50-6-5-25-18	18	25	25	30	6.5	5	48	6,600
014022	55	D6	5~4	RS 55-6-5-25-18	18	25	25	35	6.5	5	53	6,200
014023	60	D6	5~4	RS 60-6-5-25-18	18	25	25	40	6.5	5	58	5,300
014024	65	D6	5~4	RS 65-6-5-25-18	18	25	25	45	6.5	5	63	5,400
014025	70	D6	5~4	RS 70-6-5-25-18	18	25	25	50	6.5	5	68	5,100
014026	75	D6	5~4	RS 75-6-5-25-18	18	25	25	55	6.5	5	73	4,850
014027	80	D6	5~4	RS 80-6-5-25-18	18	25	25	60	6.5	5	78	4,500
014028	85	D6	5~4	RS 85-6-5-25-18	18	25	25	65	6.5	5	83	4,300
014029	90	D6	5~4	RS 90-6-5-25-18	18	25	25	70	6.5	5	88	4,000
014030	95	D6	5~4	RS 95-6-5-25-18	18	25	25	75	6.5	5	93	3,750
014031	100	D6	5~4	RS100-6-5-25-18	18	25	25	80	6.5	5	98	3,300
014032	105	D6	5~4	RS105-6-5-25-18	18	25	25	85	6.5	5	103	3,450
014033	110	D6	5~4	RS110-6-5-25-18	18	25	25	90	6.5	5	108	3,400
014034	115	D6	5~4	RS115-6-5-25-18	18	25	25	95	6.5	5	113	
014035	120	D6	5~4	RS120-6-5-25-18	18	25	25	100	6.5	5	118	2,550
014036	125	D6	5~4	RS125-6-5-25-18	18	25	25	105	6.5	5	123	
014037	130	D6	5~4	RS130-6-5-25-18	18	25	25	110	6.5	5	128	
014038	135	D6	5~4	RS135-6-5-25-18	18	25	25	115	6.5	5	133	2,550
014039	140	D6	5~4	RS140-6-5-25-18	18	25	25	120	6.5	5	138	2,100

上記寸法以外にA寸法は28mmの場合全長53~148が出来ます。
// A₂寸法は30mmも出来ます。

入数を変更する場合があります。
受注生産品が有りますのでご確認の上御注文下さい。



ふた用スペーサ

[テコ式]

カブリ 23 mm

[6×5~4]
横筋 縦筋 (mm)

コードNo.	溝ふた			ス ペ ー サ 仕 様								
	厚さ T	横筋 φ	縦筋 φ	呼び名	カ ブ リ				F ₁	F ₂	全長 A+A ₃	1箱入数 (個)
				T - F ₁ -F ₂ -A ₁ - A	A	A ₁	A ₂	A ₃				
014040	50	D6	5~4	RS 50-6-5-25-23	23	25	25	25	6.5	5	48	6,700
014041	55	D6	5~4	RS 55-6-5-25-23	23	25	25	30	6.5	5	53	6,500
014042	60	D6	5~4	RS 60-6-5-25-23	23	25	25	35	6.5	5	58	5,200
014043	65	D6	5~4	RS 65-6-5-25-23	23	25	25	40	6.5	5	63	5,700
014044	70	D6	5~4	RS 70-6-5-25-23	23	25	25	45	6.5	5	68	4,800
014045	75	D6	5~4	RS 75-6-5-25-23	23	25	25	50	6.5	5	73	4,400
014046	80	D6	5~4	RS 80-6-5-25-23	23	25	25	55	6.5	5	78	4,600
014047	85	D6	5~4	RS 85-6-5-25-23	23	25	25	60	6.5	5	83	4,400
014048	90	D6	5~4	RS 90-6-5-25-23	23	25	25	65	6.5	5	88	4,100
014049	95	D6	5~4	RS 95-6-5-25-23	23	25	25	70	6.5	5	93	4,000
014050	100	D6	5~4	RS100-6-5-25-23	23	25	25	75	6.5	5	98	
014051	105	D6	5~4	RS105-6-5-25-23	23	25	25	80	6.5	5	103	3,400
014052	110	D6	5~4	RS110-6-5-25-23	23	25	25	85	6.5	5	108	3,000
014053	115	D6	5~4	RS115-6-5-25-23	23	25	25	90	6.5	5	113	3,200
014054	120	D6	5~4	RS120-6-5-25-23	23	25	25	95	6.5	5	118	
014055	125	D6	5~4	RS125-6-5-25-23	23	25	25	100	6.5	5	123	
014056	130	D6	5~4	RS130-6-5-25-23	23	25	25	105	6.5	5	128	
014057	135	D6	5~4	RS135-6-5-25-23	23	25	25	110	6.5	5	133	
014058	140	D6	5~4	RS140-6-5-25-23	23	25	25	115	6.5	5	138	
014059	145	D6	5~4	RS145-6-5-25-23	23	25	25	120	6.5	5	143	


呼び名の
見方

RS40- 6 - 6 -25-13

↑ ↑ ↑ ↑ ↑

T F₁ F₂ A₁ A

カブリ 13 mm



コードNo.	溝ふた			ス ペ ー サ 仕 様								
	厚さ T	横筋 φ	縦筋 φ	呼び名	カ ブ リ				F ₁	F ₂	全長 A+A ₃	1箱入数 (個)
				T - F ₁ -F ₂ -A ₁ - A	A	A ₁	A ₂	A ₃				
014100	40	D6	6~4	RS 40-6-6-25-13	13	25	25	25	6.5	6	38	7,200
014101	45	D6	6~4	RS 45-6-6-25-13	13	25	25	30	6.5	6	43	6,950
014102	50	D6	6~4	RS 50-6-6-25-13	13	25	25	35	6.5	6	48	6,600
014103	55	D6	6~4	RS 55-6-6-25-13	13	25	25	40	6.5	6	53	
014104	60	D6	6~4	RS 60-6-6-25-13	13	25	25	45	6.5	6	58	5,800
014105	65	D6	6~4	RS 65-6-6-25-13	13	25	25	50	6.5	6	63	
014106	70	D6	6~4	RS 70-6-6-25-13	13	25	25	55	6.5	6	68	4,950
014107	75	D6	6~4	RS 75-6-6-25-13	13	25	25	60	6.5	6	73	4,700
014108	80	D6	6~4	RS 80-6-6-25-13	13	25	25	65	6.5	6	78	4,400
014109	85	D6	6~4	RS 85-6-6-25-13	13	25	25	70	6.5	6	83	4,150
014110	90	D6	6~4	RS 90-6-6-25-13	13	25	25	75	6.5	6	88	4,000
014111	95	D6	6~4	RS 95-6-6-25-13	13	25	25	80	6.5	6	93	4,000
014112	100	D6	6~4	RS100-6-6-25-13	13	25	25	85	6.5	6	98	
014113	105	D6	6~4	RS105-6-6-25-13	13	25	25	90	6.5	6	103	3,400
014114	110	D6	6~4	RS110-6-6-25-13	13	25	25	95	6.5	6	108	
014115	115	D6	6~4	RS115-6-6-25-13	13	25	25	100	6.5	6	113	3,000
014116	120	D6	6~4	RS120-6-6-25-13	13	25	25	105	6.5	6	118	
014117	125	D6	6~4	RS125-6-6-25-13	13	25	25	110	6.5	6	123	
014118	130	D6	6~4	RS130-6-6-25-13	13	25	25	115	6.5	6	128	
014119	135	D6	6~4	RS135-6-6-25-13	13	25	25	120	6.5	6	133	2,500

上記寸法以外にA寸法は28mmの場合全長53~148が出来ます。
// A₂寸法は30mmも出来ます。

入数を変更する場合があります。
受注生産品がありますのでご確認の上御注文下さい。




ふた用スペーサ

[テコ式]

呼び名 の見方	RS45-6-6-25-18
	↑ T
	↑ F ₁
	↑ F ₂
	↑ A ₁
	↑ A

カブリ 18 mm



[6×6~4]
横筋 縦筋

(mm)

コードNo.	溝ふた			スペーサ仕様								
	厚さ T	横筋 φ	縦筋 φ	呼び名	カブリ				F ₁	F ₂	全長 A+A ₃	1箱入数 (個)
				T - F ₁ -F ₂ -A ₁ -A	A	A ₁	A ₂	A ₃				
014120	45	D6	6~4	RS 45-6-6-25-18	18	25	25	25	6.5	6	43	
014121	50	D6	6~4	RS 50-6-6-25-18	18	25	25	30	6.5	6	48	6,600
014122	55	D6	6~4	RS 55-6-6-25-18	18	25	25	35	6.5	6	53	6,200
014123	60	D6	6~4	RS 60-6-6-25-18	18	25	25	40	6.5	6	58	5,800
014124	65	D6	6~4	RS 65-6-6-25-18	18	25	25	45	6.5	6	63	5,500
014125	70	D6	6~4	RS 70-6-6-25-18	18	25	25	50	6.5	6	68	5,100
014126	75	D6	6~4	RS 75-6-6-25-18	18	25	25	55	6.5	6	73	4,800
014127	80	D6	6~4	RS 80-6-6-25-18	18	25	25	60	6.5	6	78	4,550
014128	85	D6	6~4	RS 85-6-6-25-18	18	25	25	65	6.5	6	83	4,300
014129	90	D6	6~4	RS 90-6-6-25-18	18	25	25	70	6.5	6	88	4,100
014130	95	D6	6~4	RS 95-6-6-25-18	18	25	25	75	6.5	6	93	3,750
014131	100	D6	6~4	RS100-6-6-25-18	18	25	25	80	6.5	6	98	3,300
014132	105	D6	6~4	RS105-6-6-25-18	18	25	25	85	6.5	6	103	
014133	110	D6	6~4	RS110-6-6-25-18	18	25	25	90	6.5	6	108	3,200
014134	115	D6	6~4	RS115-6-6-25-18	18	25	25	95	6.5	6	113	
014135	120	D6	6~4	RS120-6-6-25-18	18	25	25	100	6.5	6	118	2,500
014136	125	D6	6~4	RS125-6-6-25-18	18	25	25	105	6.5	6	123	
014137	130	D6	6~4	RS130-6-6-25-18	18	25	25	110	6.5	6	128	
014138	135	D6	6~4	RS135-6-6-25-18	18	25	25	115	6.5	6	133	
014139	140	D6	6~4	RS140-6-6-25-18	18	25	25	120	6.5	6	138	

カブリ 23 mm

[6×6~4]
横筋 縦筋

(mm)

コードNo.	溝ふた			スペーサ仕様								
	厚さ T	横筋 φ	縦筋 φ	呼び名	カブリ				F ₁	F ₂	全長 A+A ₃	1箱入数 (個)
				T - F ₁ -F ₂ -A ₁ -A	A	A ₁	A ₂	A ₃				
014140	50	D6	6~4	RS 50-6-6-25-23	23	25	25	25	6.5	6	48	6,600
014141	55	D6	6~4	RS 55-6-6-25-23	23	25	25	30	6.5	6	53	
014142	60	D6	6~4	RS 60-6-6-25-23	23	25	25	35	6.5	6	58	5,900
014143	65	D6	6~4	RS 65-6-6-25-23	23	25	25	40	6.5	6	63	
014144	70	D6	6~4	RS 70-6-6-25-23	23	25	25	45	6.5	6	68	5,300
014145	75	D6	6~4	RS 75-6-6-25-23	23	25	25	50	6.5	6	73	4,900
014146	80	D6	6~4	RS 80-6-6-25-23	23	25	25	55	6.5	6	78	4,600
014147	85	D6	6~4	RS 85-6-6-25-23	23	25	25	60	6.5	6	83	4,200
014148	90	D6	6~4	RS 90-6-6-25-23	23	25	25	65	6.5	6	88	4,100
014149	95	D6	6~4	RS 95-6-6-25-23	23	25	25	70	6.5	6	93	4,000
014150	100	D6	6~4	RS100-6-6-25-23	23	25	25	75	6.5	6	98	3,500
014151	105	D6	6~4	RS105-6-6-25-23	23	25	25	80	6.5	6	103	
014152	110	D6	6~4	RS110-6-6-25-23	23	25	25	85	6.5	5	108	
014153	115	D6	6~4	RS115-6-6-25-23	23	25	25	90	6.5	6	113	3,050
014154	120	D6	6~4	RS120-6-6-25-23	23	25	25	95	6.5	6	118	3,000
014155	125	D6	6~4	RS125-6-6-25-23	23	25	25	100	6.5	6	123	
014156	130	D6	6~4	RS130-6-6-25-23	23	25	25	105	6.5	6	128	2,600
014157	135	D6	6~4	RS135-6-6-25-23	23	25	25	110	6.5	6	133	
014158	140	D6	6~4	RS140-6-6-25-23	23	25	25	115	6.5	6	138	2,100
014159	145	D6	6~4	RS145-6-6-25-23	23	25	25	120	6.5	6	143	2,250

上記寸法以外にA寸法は28mmの場合全長53~148が出来ます。
// A₂寸法は30mmも出来ます。

入数を変更する場合があります。
受注生産品が有りますのでご確認の上御注文下さい。



ふた用スペーサ

[テコ式]

呼び名
の見方

CP60-10-6-23-18


↑
T

↑
F₁

↑
F₂

↑
A₁

↑
A



[10×6]

横筋 縦筋


(mm)

コードNo.	溝ふた			ス ペ ー サ 仕 様								
	厚さ T	横筋 φ	縦筋 φ	呼び名	カ ブ リ				F ₁	F ₂	全長 A+A ₃	1箱入数 (個)
				T - F ₁ - F ₂ - A ₁ - A	A	A ₁	A ₂	A ₃				
012007	60	D10	D6	CP 60-10-6-23 < 18	18	23	30	39	9.5	6.5	57	3,400
				-								
012008	65	D10	D6	CP 65-10-6-23 < 18	18	23	30	44	9.5	6.5	62	3,200
012026				23	23	30	39					
012009	70	D10	D6	CP 70-10-6-23 < 18	18	23	30	49	9.5	6.5	67	3,000
012027				23	23	30	44					
012010	75	D10	D6	CP 75-10-6-23 < 18	18	23	30	54	9.5	6.5	72	2,900
012028				23	23	30	49					
012011	80	D10	D6	CP 80-10-6-23 < 18	18	23	30	59	9.5	6.5	77	2,800
012029				23	23	30	54					
012012	85	D10	D6	CP 85-10-6-23 < 18	18	23	30	64	9.5	6.5	82	2,700
012030				23	23	30	59					
012013	90	D10	D6	CP 90-10-6-23 < 18	18	23	30	69	9.5	6.5	87	2,500
012031				23	23	30	64					
012014	95	D10	D6	CP 95-10-6-23 < 18	18	23	30	74	9.5	6.5	92	2,400
012032				23	23	30	69					
012015	100	D10	D6	CP100-10-6-23 < 18	18	23	30	79	9.5	6.5	97	2,300
012033				23	23	30	74					
012016	105	D10	D6	CP105-10-6-23 < 18	18	23	30	84	9.5	6.5	102	2,300
012034				23	23	30	79					
012017	110	D10	D6	CP110-10-6-23 < 18	18	23	30	89	9.5	6.5	107	2,100
012035				23	23	30	84					
012018	115	D10	D6	CP115-10-6-23 < 18	18	23	30	94	9.5	6.5	112	2,000
012036				23	23	30	89					
012019	120	D10	D6	CP120-10-6-23 < 18	18	23	30	99	9.5	6.5	117	2,000
012037				23	23	30	94					
012020	125	D10	D6	CP125-10-6-23 < 18	18	23	30	104	9.5	6.5	122	1,900
012038				23	23	30	99					
012021	130	D10	D6	CP130-10-6-23 < 18	18	23	30	109	9.5	6.5	127	1,800
012039				23	23	30	104					
012022	135	D10	D6	CP135-10-6-23 < 18	18	23	30	114	9.5	6.5	132	1,800
012040				23	23	30	109					
012023	140	D10	D6	CP140-10-6-23 < 18	18	23	30	119	9.5	6.5	137	1,750
012041				23	23	30	114					
012024	145	D10	D6	CP145-10-6-23 < 18	18	23	30	124	9.5	6.5	142	1,650
012042				23	23	30	119					
012025	150	D10	D6	CP150-10-6-23 < 18	18	23	30	129	9.5	6.5	147	1,500
012043				23	23	30	124					
	155	D10	D6	CP155-10-6-23 < -	-	-	-	-	9.5	6.5	152	1,400
012044				23	23	30	129					

入数を変更する場合があります。
受注生産品が有りますのでご確認の上御注文下さい。

呼び名
の見方

CP60-10-6-30-18
↑
T F₁ F₂ A₁ A



[10×6]
横筋 縦筋

(mm)

コードNo.	溝ふた			ス ペ ー サ 仕 様								
	厚さ T	横筋 φ	縦筋 φ	呼び名	カ ブ リ				F ₁	F ₂	全長 A+A ₃	1箱入数 (個)
				T - F ₁ - F ₂ - A ₁ - A	A	A ₁	A ₂	A ₃				
012500	60	D10	D6	CP 60-10-6-30 < 18 -	18	30	30	39	9.5	6.5	57	3,200
012501 012519				CP 65-10-6-30 < 18 23	18 23	30 30	30 30	44 39				
012502 012520	70	D10	D6	CP 70-10-6-30 < 18 23	18 23	30 30	30 30	49 44	9.5	6.5	67	2,900 2,800
012503 012521				CP 75-10-6-30 < 18 23	18 23	30 30	30 30	54 49				
012504 012522	80	D10	D6	CP 80-10-6-30 < 18 23	18 23	30 30	30 30	59 54	9.5	6.5	77	2,550 2,550
012505 012523				CP 85-10-6-30 < 18 23	18 23	30 30	30 30	64 59				
012506 012524	90	D10	D6	CP 90-10-6-30 < 18 23	18 23	30 30	30 30	69 64	9.5	6.5	87	2,300 2,300
012507 012525				CP 95-10-6-30 < 18 23	18 23	30 30	30 30	74 69				
012508 012526	100	D10	D6	CP100-10-6-30 < 18 23	18 23	30 30	30 30	79 74	9.5	6.5	97	2,200 2,200
012509 012527				CP105-10-6-30 < 18 23	18 23	30 30	30 30	84 79				
012510 012528	110	D10	D6	CP110-10-6-30 < 18 23	18 23	30 30	30 30	89 84	9.5	6.5	107	2,100 2,000
012511 012529				CP115-10-6-30 < 18 23	18 23	30 30	30 30	94 89				
012512 012530	120	D10	D6	CP120-10-6-30 < 18 23	18 23	30 30	30 30	99 94	9.5	6.5	117	1,900 1,900
012513 012531				CP125-10-6-30 < 18 23	18 23	30 30	30 30	104 99				
012514 012532	130	D10	D6	CP130-10-6-30 < 18 23	18 23	30 30	30 30	109 104	9.5	6.5	127	1,900 1,800
012515 012533				CP135-10-6-30 < 18 23	18 23	30 30	30 30	114 109				
012516 012534	140	D10	D6	CP140-10-6-30 < 18 23	18 23	30 30	30 30	119 114	9.5	6.5	137	1,700 1,600
012517 012535				CP145-10-6-30 < 18 23	18 23	30 30	30 30	124 119				
012518 012536	150	D10	D6	CP150-10-6-30 < 18 23	18 23	30 30	30 30	129 124	9.5	6.5	147	1,650
012537				CP155-10-6-30 < - 23	23	30	30	129				

入数を変更する場合があります。
受注生産品が有りますのでご確認の上御注文下さい。



ふた用スペーサ

[テコ式]

呼び名
の
見方

CP60-10-10-23-18


↑
T

↑
F₁

↑
F₂

↑
A₁

↑
A



[10×10]

横筋 縦筋


(mm)

コードNo.	溝ふた			ス ペ ー サ 仕 様									
	厚さ T	横筋 φ	縦筋 φ	呼び名	カ ブ リ				F ₁	F ₂	全長 A+A ₃	1箱入数 (個)	
				T - F ₁ - F ₂ - A ₁ - A	A	A ₁	A ₂	A ₃					
012045	60	D10	D10	CP 60-10-10-23	18	23	30	39	9.5	10.5	57	2,900	
				23	23	30	34	2,900					
012046	65	D10	D10	CP 65-10-10-23	18	23	30	44	9.5	10.5	62	2,800	
012064				23	23	30	39	2,700					
012047	70	D10	D10	CP 70-10-10-23	18	23	30	49	9.5	10.5	67	2,700	
012065				23	23	30	44	2,600					
012048	75	D10	D10	CP 75-10-10-23	18	23	30	54	9.5	10.5	72	2,600	
012066				23	23	30	49	2,500					
012049	80	D10	D10	CP 80-10-10-23	18	23	30	59	9.5	10.5	77	2,500	
012067				23	23	30	54	2,450					
012050	85	D10	D10	CP 85-10-10-23	18	23	30	64	9.5	10.5	82	2,400	
012068				23	23	30	59	2,400					
012051	90	D10	D10	CP 90-10-10-23	18	23	30	69	9.5	10.5	87	2,400	
012069				23	23	30	64	2,200					
012052	95	D10	D10	CP 95-10-10-23	18	23	30	74	9.5	10.5	92	2,150	
012070				23	23	30	69	2,100					
012053	100	D10	D10	CP100-10-10-23	18	23	30	79	9.5	10.5	97	2,100	
012071				23	23	30	74	2,050					
012054	105	D10	D10	CP105-10-10-23	18	23	30	84	9.5	10.5	102	2,050	
012072				23	23	30	79	2,000					
012055	110	D10	D10	CP110-10-10-23	18	23	30	89	9.5	10.5	107	1,950	
012073				23	23	30	84	1,800					
012056	115	D10	D10	CP115-10-10-23	18	23	30	94	9.5	10.5	112	1,800	
012074				23	23	30	89	1,900					
012057	120	D10	D10	CP120-10-10-23	18	23	30	99	9.5	10.5	117	1,800	
012075				23	23	30	94	1,600					
012058	125	D10	D10	CP125-10-10-23	18	23	30	104	9.5	10.5	122	1,600	
012076				23	23	30	99	1,500					
012059	130	D10	D10	CP130-10-10-23	18	23	30	109	9.5	10.5	127	1,700	
012077				23	23	30	104	1,400					
012060	135	D10	D10	CP135-10-10-23	18	23	30	114	9.5	10.5	132	1,400	
012078				23	23	30	109	1,300					
012061	140	D10	D10	CP140-10-10-23	18	23	30	119	9.5	10.5	137	1,300	
012079				23	23	30	114	1,200					
012062	145	D10	D10	CP145-10-10-23	18	23	30	124	9.5	10.5	142	1,200	
012080				23	23	30	119	1,100					
012063	150	D10	D10	CP150-10-10-23	18	23	30	129	9.5	10.5	147	1,100	
012081				23	23	30	124	1,000					
012082	155	D10	D10	CP155-10-10-23	-	23	23	30	129	9.5	10.5	152	

入数を変更する場合があります。
受注生産品が有りますのでご確認の上御注文下さい。

呼び名
の見方

CP60-10-10-28-18
↑ ↑ ↑ ↑ ↑
T F₁ F₂ A₁ A



(mm)

コードNo.	溝ふた			ス ペ ー サ 仕 様									
	厚さ T	横筋 φ	縦筋 φ	呼び名	カ ブ リ				F ₁	F ₂	全長 A+A ₃	1箱入数 (個)	
				T - F ₁ - F ₂ - A ₁ - A	A	A ₁	A ₂	A ₃					
012538	60	D10	D10	CP 60-10-10-28 < 18	18	28	30	39	9.5	10.5	57	2,750	
				-									
012539	65	D10	D10	CP 65-10-10-28 < 18	18	28	30	44	9.5	10.5	62		
012557				23	23	28	30	39					
012540	70	D10	D10	CP 70-10-10-28 < 18	18	28	30	49	9.5	10.5	67	2,600	
012558				23	23	28	30	44					
012541	75	D10	D10	CP 75-10-10-28 < 18	18	28	30	54	9.5	10.5	72	2,550	
012559				23	23	28	30	49					
012542	80	D10	D10	CP 80-10-10-28 < 18	18	28	30	59	9.5	10.5	77		
012560				23	23	28	30	54					
012543	85	D10	D10	CP 85-10-10-28 < 18	18	28	30	64	9.5	10.5	82		
012561				23	23	28	30	59					
012544	90	D10	D10	CP 90-10-10-28 < 18	18	28	30	69	9.5	10.5	87	2,150	
012562				23	23	28	30	64					
012545	95	D10	D10	CP 95-10-10-28 < 18	18	28	30	74	9.5	10.5	92	2,100	
012563				23	23	28	30	69					
012546	100	D10	D10	CP100-10-10-28 < 18	18	28	30	79	9.5	10.5	97	2,050	
012564				23	23	28	30	74					
012547	105	D10	D10	CP105-10-10-28 < 18	18	28	30	84	9.5	10.5	102		
012565				23	23	28	30	79					
012548	110	D10	D10	CP110-10-10-28 < 18	18	28	30	89	9.5	10.5	107	1,950	
012566				23	23	28	30	84					
012549	115	D10	D10	CP115-10-10-28 < 18	18	28	30	94	9.5	10.5	112		
012567				23	23	28	30	89					
012550	120	D10	D10	CP120-10-10-28 < 18	18	28	30	99	9.5	10.5	117	1,650	
012568				23	23	28	30	94					
012551	125	D10	D10	CP125-10-10-28 < 18	18	28	30	104	9.5	10.5	122	1,600	
012569				23	23	28	30	99					
012552	130	D10	D10	CP130-10-10-28 < 18	18	28	30	109	9.5	10.5	127	1,650	
012570				23	23	28	30	104					
012553	135	D10	D10	CP135-10-10-28 < 18	18	28	30	114	9.5	10.5	132	1,400	
012571				23	23	28	30	109					
012554	140	D10	D10	CP140-10-10-28 < 18	18	28	30	119	9.5	10.5	137	1,300	
012572				23	23	28	30	114					
012555	145	D10	D10	CP145-10-10-28 < 18	18	28	30	124	9.5	10.5	142	1,350	
012573				23	23	28	30	119					
012556	150	D10	D10	CP150-10-10-28 < 18	18	28	30	129	9.5	10.5	147		
012574				23	23	28	30	124					
	155	D10	D10	CP155-10-10-28 < -	-				9.5	10.5	152		
012575				23	23	28	30	129					

入数を変更する場合があります。
受注生産品が有りますのでご確認の上御注文下さい。




ふた用スペーサ

[テコ式]

呼び名
の見方

CP60-13-6-25-18

↑ T ↑ F₁ ↑ F₂ ↑ A₁ ↑ A



[13×6]

横筋 縦筋


(mm)

コードNo.	溝ふた			ス ペ ー サ 仕 様									
	厚さ T	横筋 φ	縦筋 φ	呼び名	カ ブ リ				F ₁	F ₂	全長 A+A ₃	1箱入数 (個)	
				T - F ₁ - F ₂ - A ₁ - A	A	A ₁	A ₂	A ₃					
012083	60	D13	D6	CP 60ー13ー6ー25 < 18	18	25	30	40	13.5	6.5	58	2,700	
012084 012100				CP 65ー13ー6ー25 < 18 23	18 23	25 25	30 30	45 40					
012085 012101	70	D13	D6	CP 70ー13ー6ー25 < 18	18	25	30	50	13.5	6.5	68	2,500 2,400	
012086 012102				CP 75ー13ー6ー25 < 18 23	18 23	25 25	30 30	55 50					
012087 012103	80	D13	D6	CP 80ー13ー6ー25 < 18	18	25	30	60	13.5	6.5	78	2,450	
012088 012104				CP 85ー13ー6ー25 < 18	18 23	25 25	30 30	65 60					
012089 012105	90	D13	D6	CP 90ー13ー6ー25 < 18	18	25	30	70	13.5	6.5	88	2,150 2,100	
012090 012106				CP 95ー13ー6ー25 < 18	18 23	25 25	30 30	75 70					
012091 012107	100	D13	D6	CP100ー13ー6ー25 < 18	18	25	30	80	13.5	6.5	98	2,050	
012092 012108				CP105ー13ー6ー25 < 18	18 23	25 25	30 30	85 80					
012093 012109	110	D13	D6	CP110ー13ー6ー25 < 18	18	25	30	90	13.5	6.5	108	1,900	
012094 012110				CP115ー13ー6ー25 < 18	18 23	25 25	30 30	95 90					
012095 012111	120	D13	D6	CP120ー13ー6ー25 < 18	18	25	30	100	13.5	6.5	118	1,650	
012096 012112				CP125ー13ー6ー25 < 18	18 23	25 25	30 30	105 100					
012097 012113	130	D13	D6	CP130ー13ー6ー25 < 18	18	25	30	110	13.5	6.5	128	1,600	
012098 012114				CP135ー13ー6ー25 < 18	18 23	25 25	30 30	115 110					
012099 012115	140	D13	D6	CP140ー13ー6ー25 < 18	18	25	30	120	13.5	6.5	138	1,500	
012116				CP145ー13ー6ー25 < 23	23	25	30	115					
012116	145	D13	D6	CP145ー13ー6ー25 < 23	23	25	30	120	13.5	6.5	143	1,450	

入数を変更する場合があります。
受注生産品が有りますので確認の上御注文下さい。

呼び名
の
見方

CP60-13-6-30-18
↑
T
↑
F₁
↑
F₂
↑
A₁
↑
A



(mm)

コードNo.	溝ふた			ス ペ ー サ 仕 様								
	厚さ T	横筋 φ	縦筋 φ	呼び名	カ ブ リ				F ₁	F ₂	全長 A+A ₃	1箱入数 (個)
				T - F ₁ - F ₂ - A ₁ - A	A	A ₁	A ₂	A ₃				
012576	60	D13	D6	CP 60-13-6-30 < 18	18	30	30	40	13.5	6.5	58	
				-								
012577	65	D13	D6	CP 65-13-6-30 < 18	18	30	30	45	13.5	6.5	63	
012593				< 23	23	30	30	40				
012578	70	D13	D6	CP 70-13-6-30 < 18	18	30	30	50	13.5	6.5	68	
012594				< 23	23	30	30	45				
012579	75	D13	D6	CP 75-13-6-30 < 18	18	30	30	55	13.5	6.5	73	
012595				< 23	23	30	30	50				
012580	80	D13	D6	CP 80-13-6-30 < 18	18	30	30	60	13.5	6.5	78	2,200
012596				< 23	23	30	30	55				
012581	85	D13	D6	CP 85-13-6-30 < 18	18	30	30	65	13.5	6.5	83	2,100
012597				< 23	23	30	30	60				
012582	90	D13	D6	CP 90-13-6-30 < 18	18	30	30	70	13.5	6.5	88	2,100
012598				< 23	23	30	30	65				
012583	95	D13	D6	CP 95-13-6-30 < 18	18	30	30	75	13.5	6.5	93	1,950
012599				< 23	23	30	30	70				
012584	100	D13	D6	CP100-13-6-30 < 18	18	30	30	80	13.5	6.5	98	1,850
012600				< 23	23	30	30	75				
012585	105	D13	D6	CP105-13-6-30 < 18	18	30	30	85	13.5	6.5	103	1,900
012601				< 23	23	30	30	80				
012586	110	D13	D6	CP110-13-6-30 < 18	18	30	30	90	13.5	6.5	108	1,750
012602				< 23	23	30	30	85				
012587	115	D13	D6	CP115-13-6-30 < 18	18	30	30	95	13.5	6.5	113	1,700
012603				< 23	23	30	30	90				
012588	120	D13	D6	CP120-13-6-30 < 18	18	30	30	100	13.5	6.5	118	1,650
012604				< 23	23	30	30	95				
012589	125	D13	D6	CP125-13-6-30 < 18	18	30	30	105	13.5	6.5	123	1,550
012605				< 23	23	30	30	100				
012590	130	D13	D6	CP130-13-6-30 < 18	18	30	30	110	13.5	6.5	128	1,500
012606				< 23	23	30	30	105				
012591	135	D13	D6	CP135-13-6-30 < 18	18	30	30	115	13.5	6.5	133	1,500
012607				< 23	23	30	30	110				
012592	140	D13	D6	CP140-13-6-30 < 18	18	30	30	120	13.5	6.5	138	1,450
012608				< 23	23	30	30	115				
012609	145	D13	D6	CP145-13-6-30 < 23	23	30	30	120	13.5	6.5	143	

入数を変更する場合があります。
受注生産品がありますのでご確認の上御注文下さい。



ふた用スペーサ

[テコ式]

呼び名
の
見
方

CP60-13-10-25-18


↑
T

↑
F₁

↑
F₂

↑
A₁

↑
A



[13×10]

横筋 縦筋

(mm)

コードNo.	溝ふた			ス ペ ー サ 仕 様									
	厚さ T	横筋 φ	縦筋 φ	呼び名	カ ブ リ				F ₁	F ₂	全長 A+A ₃	1箱入数 (個)	
				T - F ₁ - F ₂ - A ₁ - A	A	A ₁	A ₂	A ₃					
012117	60	D13	D10	CP 60ー13ー10ー25 < 18	18	25	30	40	13.5	10.5	58	2,500	
012118				CP 65ー13ー10ー25 < 18	18	25	30	45					
012134	65	D13	D10	CP 65ー13ー10ー25 < 23	23	25	30	40	13.5	10.5	63		
012119				CP 70ー13ー10ー25 < 18	18	25	30	50					
012135	70	D13	D10	CP 70ー13ー10ー25 < 23	23	25	30	45	13.5	10.5	68	2,300	
012120				CP 75ー13ー10ー25 < 18	18	25	30	55					
012136	75	D13	D10	CP 75ー13ー10ー25 < 23	23	25	30	50	13.5	10.5	73	2,200	
012121				CP 80ー13ー10ー25 < 18	18	25	30	60					
012137	80	D13	D10	CP 80ー13ー10ー25 < 23	23	25	30	55	13.5	10.5	78	2,200	
012122				CP 85ー13ー10ー25 < 18	18	25	30	65					
012138	85	D13	D10	CP 85ー13ー10ー25 < 23	23	25	30	60	13.5	10.5	83	2,100	
012123				CP 90ー13ー10ー25 < 18	18	25	30	70					
012139	90	D13	D10	CP 90ー13ー10ー25 < 23	23	25	30	65	13.5	10.5	88	1,900	
012124				CP 95ー13ー10ー25 < 18	18	25	30	75					
012140	95	D13	D10	CP 95ー13ー10ー25 < 23	23	25	30	70	13.5	10.5	93	1,850	
012125				CP100ー13ー10ー25 < 18	18	25	30	80					
012141	100	D13	D10	CP100ー13ー10ー25 < 23	23	25	30	75	13.5	10.5	98	1,800	
012126				CP105ー13ー10ー25 < 18	18	25	30	85					
012142	105	D13	D10	CP105ー13ー10ー25 < 23	23	25	30	80	13.5	10.5	103	1,800	
012127				CP110ー13ー10ー25 < 18	18	25	30	90					
012143	110	D13	D10	CP110ー13ー10ー25 < 23	23	25	30	85	13.5	10.5	108	1,700	
012128				CP115ー13ー10ー25 < 18	18	25	30	95					
012144	115	D13	D10	CP115ー13ー10ー25 < 23	23	25	30	90	13.5	10.5	113	1,550	
012129				CP120ー13ー10ー25 < 18	18	25	30	100					
012145	120	D13	D10	CP120ー13ー10ー25 < 23	23	25	30	95	13.5	10.5	118	1,550	
012130				CP125ー13ー10ー25 < 18	18	25	30	105					
012146	125	D13	D10	CP125ー13ー10ー25 < 23	23	25	30	100	13.5	10.5	123		
012131				CP130ー13ー10ー25 < 18	18	25	30	110					
012147	130	D13	D10	CP130ー13ー10ー25 < 23	23	25	30	105	13.5	10.5	128	1,400	
012132				CP135ー13ー10ー25 < 18	18	25	30	115					
012148	135	D13	D10	CP135ー13ー10ー25 < 23	23	25	30	110	13.5	10.5	133	1,350	
012133				CP140ー13ー10ー25 < 18	18	25	30	120					
012149	140	D13	D10	CP140ー13ー10ー25 < 23	23	25	30	115	13.5	10.5	138	1,300	
012150				CP145ー13ー10ー25 < 23	23	25	30	120					

入数を変更する場合があります。
受注生産品が有りますので確認の上御注文下さい。

呼び名
の
見方

CP60-13-10-30-18


↑
T

↑
F₁

↑
F₂

↑
A₁

↑
A



[13×10]

横筋 縦筋

(mm)

コードNo.	溝ふた			ス ペ ー サ 仕 様								
	厚さ T	横筋 φ	縦筋 φ	呼び名	カ ブ リ				F ₁	F ₂	全長 A+A ₃	1箱入数 (個)
				T - F ₁ - F ₂ - A ₁ - A	A	A ₁	A ₂	A ₃				
012610	60	D13	D10	CP 60-13-10-30	18	30	30	40	13.5	10.5	58	2,450
012611				CP 65-13-10-30	18	30	30	45				13.5
012627	65	D13	D10	CP 65-13-10-30	23	30	30	40	13.5	10.5	68	
012612				CP 70-13-10-30	18	30	30	50				13.5
012628	70	D13	D10	CP 70-13-10-30	23	30	30	45	13.5	10.5	78	
012613				CP 75-13-10-30	18	30	30	55				13.5
012629	75	D13	D10	CP 75-13-10-30	23	30	30	50	13.5	10.5	88	
012614				CP 80-13-10-30	18	30	30	60				13.5
012630	80	D13	D10	CP 80-13-10-30	23	30	30	55	13.5	10.5	98	
012615				CP 85-13-10-30	18	30	30	65				13.5
012631	85	D13	D10	CP 85-13-10-30	23	30	30	60	13.5	10.5	108	
012616				CP 90-13-10-30	18	30	30	70				13.5
012632	90	D13	D10	CP 90-13-10-30	23	30	30	65	13.5	10.5	118	
012617				CP 95-13-10-30	18	30	30	75				13.5
012633	95	D13	D10	CP 95-13-10-30	23	30	30	70	13.5	10.5	128	
012618				CP100-13-10-30	18	30	30	80				13.5
012634	100	D13	D10	CP100-13-10-30	23	30	30	75	13.5	10.5	138	
012619				CP105-13-10-30	18	30	30	85				13.5
012635	105	D13	D10	CP105-13-10-30	23	30	30	80	13.5	10.5	148	
012620				CP110-13-10-30	18	30	30	90				13.5
012636	110	D13	D10	CP110-13-10-30	23	30	30	85	13.5	10.5	158	
012621				CP115-13-10-30	18	30	30	95				13.5
012637	115	D13	D10	CP115-13-10-30	23	30	30	90	13.5	10.5	168	
012622				CP120-13-10-30	18	30	30	100				13.5
012638	120	D13	D10	CP120-13-10-30	23	30	30	95	13.5	10.5	178	
012623				CP125-13-10-30	18	30	30	105				13.5
012639	125	D13	D10	CP125-13-10-30	23	30	30	100	13.5	10.5	188	
012624				CP130-13-10-30	18	30	30	110				13.5
012640	130	D13	D10	CP130-13-10-30	23	30	30	105	13.5	10.5	198	
012625				CP135-13-10-30	18	30	30	115				13.5
012641	135	D13	D10	CP135-13-10-30	23	30	30	110	13.5	10.5	208	
012626				CP140-13-10-30	18	30	30	120				13.5
012642	140	D13	D10	CP140-13-10-30	23	30	30	115	13.5	10.5	218	
012643				CP145-13-10-30	23	30	30	120				13.5


入数を変更する場合があります。
受注生産品がありますのでご確認の上御注文下さい。



ふた用スペーサ

[テコ式]

呼び名 の見方	BP100-13-10-30-30
	↑ T
	↑ F ₁
	↑ F ₂
	↑ A ₁
	↑ A



[13×10]
横筋 縦筋
[13×13]
横筋 縦筋

縦打専用 [テコ式]

(mm)

コードNo.	溝ふた			ス ペ ー サ 仕 様								
	厚さ T	横筋 φ	縦筋 φ	呼び名	カ ブ リ				F ₁	F ₂	全長 A+A ₃	1箱入数 (個)
				T - F ₁ - F ₂ - A ₁ - A	A	A ₁	A ₂	A ₃				
012644	100	D13	D10	BP100-13-10-30-30	30	30	30	68	13	10.0	98	1,800
012645	130	D13	D10	BP130-13-10-30-30	30	30	30	98	13	10.0	128	1,400

平打専用 [テコ式]

(mm)

コードNo.	溝ふた			ス ペ ー サ 仕 様								
	厚さ T	横筋 φ	縦筋 φ	呼び名	カ ブ リ				F ₁	F ₂	全長 A+A ₃	1箱入数 (個)
				T - F ₁ - F ₂ - A ₁ - A	A	A ₁	A ₂	A ₃				
012646	100	D13	D10	平BP100-13-10-30-26	26	30	30	68	13	10.0	94	1,800
012647	130	D13	D10	平BP130-13-10-30-26	26	30	30	98	13	10.0	124	1,400

縦打専用 [テコ式]

(mm)

コードNo.	溝ふた			ス ペ ー サ 仕 様								
	厚さ T	横筋 φ	縦筋 φ	呼び名	カ ブ リ				F ₁	F ₂	全長 A+A ₃	1箱入数 (個)
				T - F ₁ - F ₂ - A ₁ - A	A	A ₁	A ₂	A ₃				
012650	100	D13	D13	BP100-13-13-30-30	30	30	30	68	13	13.5	98	1,800
012651	130	D13	D13	BP130-13-13-30-30	30	30	30	98	13	13.5	128	1,400

平打専用 [テコ式]

(mm)

コードNo.	溝ふた			ス ペ ー サ 仕 様								
	厚さ T	横筋 φ	縦筋 φ	呼び名	カ ブ リ				F ₁	F ₂	全長 A+A ₃	1箱入数 (個)
				T - F ₁ - F ₂ - A ₁ - A	A	A ₁	A ₂	A ₃				
012653	100	D13	D13	平BP100－13－13－30－26	26	30	30	68	13	13.5	94	1,800
012652	130	D13	D13	平BP130－13－13－30－26	26	30	30	98	13	13.5	124	1,400


入数を変更する場合があります。



ふた用スペーサ

[テコ式]

呼び名 の見方	KP90-13-13-22-20
	↑ T ↑ F ₁ ↑ F ₂ ↑ A ₁ ↑ A



[13×13]
横筋 縦筋

縦打専用 [テコ式]

国交省タイプ(カブリ20mm)

(mm)

コードNo.	溝ふた			スペーサ仕様								
	厚さ T	横筋 φ	縦筋 φ	呼び名	カブリ				F ₁	F ₂	全長 A+A ₃	1箱入数 (個)
				T - F ₁ - F ₂ - A ₁ - A	A	A ₁	A ₂	A ₃				
011000	90	D13	D13	※KP 90-13-13-22-20	20	22	28	68	13	13.5	88	1,800
011001	100	D13	D13	KP100-13-13-22-20	20	22	28	78	13	13.5	98	1,700
011002	110	D13	D13	KP110-13-13-22-20	20	22	28	88	13	13.5	108	1,600
011003	120	D13	D13	KP120-13-13-22-20	20	22	28	98	13	13.5	118	1,500
011004	130	D13	D13	KP130-13-13-22-20	20	22	28	108	13	13.5	128	1,400

※規格外品です。

平打専用 [テコ式]

国交省タイプ(カブリ20mm)

(mm)

コードNo.	溝ふた			スペーサ仕様								
	厚さ T	横筋 φ	縦筋 φ	呼び名	カブリ				F ₁	F ₂	全長 A+A ₃	1箱入数 (個)
				T - F ₁ - F ₂ - A ₁ - A	A	A ₁	A ₂	A ₃				
011005	100	D13	D13	平KP100-13-13-22-17	17	22	28	78	13	13.5	95	1,900
011006	110	D13	D13	平KP110-13-13-22-17	17	22	28	88	13	13.5	105	1,600
011007	120	D13	D13	平KP120-13-13-22-17	17	22	28	98	13	13.5	115	1,500
011008	130	D13	D13	平KP130-13-13-22-17	17	22	28	108	13	13.5	125	1,100

縦打専用 [テコ式]

国交省タイプ(カブリ30mm)

(mm)

コードNo.	溝ふた			スペーサ仕様								
	厚さ T	横筋 φ	縦筋 φ	呼び名	カブリ				F ₁	F ₂	全長 A+A ₃	1箱入数 (個)
				T - F ₁ - F ₂ - A ₁ - A	A	A ₁	A ₂	A ₃				
012000	100	D13	D13	CP100-13-13-22-30	30	22	28	68	13	13.5	98	1,700
012001	110	D13	D13	CP110-13-13-22-30	30	22	28	78	13	13.5	108	1,600
012002	120	D13	D13	CP120-13-13-22-30	30	22	28	88	13	13.5	118	1,500
012003	130	D13	D13	CP130-13-13-22-30	30	22	28	98	13	13.5	128	1,400
012004	150	D13	D13	CP150-13-13-22-30	30	22	30	118	13	13.5	148	1,100

平打専用 [テコ式]

国交省タイプ(カブリ30mm)

(mm)

コードNo.	溝ふた			スペーサ仕様								
	厚さ T	横筋 φ	縦筋 φ	呼び名	カブリ				F ₁	F ₂	全長 A+A ₃	1箱入数 (個)
				T - F ₁ - F ₂ - A ₁ - A	A	A ₁	A ₂	A ₃				
012005	100	D13	D13	平CP100-13-13-22-17	17	22	28	68	13	13.5	85	2,000
011006	120	D13	D13	平CP120-13-13-22-17	17	22	28	88	13	13.5	105	1,600
011007	130	D13	D13	平CP130-13-13-22-17	17	22	28	98	13	13.5	115	1,500

入数を変更する場合があります。